



Home Innovation
NGBS GREEN CERTIFIED™


THIS SIGNIFIES THE FOLLOWING CONSTRUCTION PRODUCTS

THOMPSON CREEK TC 900 SERIES DOUBLE HUNG VINYL
REPLACEMENT WINDOW

MANUFACTURED BY

THOMPSON CREEK WINDOW COMPANY

ARE CERTIFIED FOR POINTS TOWARD NGBS GREEN CERTIFICATION TO THE ICC 700
NATIONAL GREEN BUILDING STANDARD, AS DETAILED BELOW.


Michael Luzier – President & CEO

11-12-2025
Approval Date

07-31-2026
Expiration Date

CERTIFICATE # 388

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



NGBS Green Certificate #NGBSGCP-000388

Product: Thompson Creek TC 900 Series Double Hung Vinyl Replacement Window

Manufacturer: Thompson Creek Window Company

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

2020 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONAL OF USE TO AWARD POINTS
11.701.4.3.4	Windows, skylight, sliding doors have air leakage no more than 0.3 cfm/ft ² and swinging doors no more than 0.5 cfm/ft ² . Products must be listed and labeled by accredited 3rd party lab.	Mandatory	To meet this mandatory requirement, the NFRC label on the windows must show that the appropriate window is used for the climate zone.