



Home Innovation
NGBS GREEN CERTIFIED™

THIS SIGNIFIES THE FOLLOWING CONSTRUCTION PRODUCTS

CERTAINEED PREMIUM BLOWING WOOL INSULATION - INSULSAFE®
SP, OPTIMA®, TRUECOMFORT®, INSULSAFE® XC

MANUFACTURED BY

CERTAINEED - SAINT-GOBAIN CORPORATION

ARE CERTIFIED FOR POINTS TOWARD NGBS GREEN CERTIFICATION TO THE ICC 700
NATIONAL GREEN BUILDING STANDARD, AS DETAILED BELOW.


Michael Luzier – President & CEO

10-27-2025
Approval Date

08-31-2026
Expiration Date

CERTIFICATE # 372

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



NGBS Green Certificate #NGBSGCP-000372

Product: CertainTeed Premium Blowing Wool Insulation - InsulSafe® SP, OPTIMA®, TrueComfort®, InsulSafe® XC

Manufacturer: CertainTeed - Saint-Gobain Corporation

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

2020 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONAL OF USE TO AWARD POINTS
604.1	Building materials with recycled content are used for two minor and/or two major components of the building. 1-6 points available.	1-2	Points awarded for 2 products with recycled content. Wall insulation and another major product with at least 25% recycled content are required for 2 points. Attic insulation and another minor product with at least 25% recycled content required for 1 point.
901.11	At least 85% of wall, ceiling, and floor insulation materials are in accordance with the emission levels of CDPH/EHLB Standard Method v1.1 and third-party certified by an ISO 17065 program. 4 points available.	4	All insulation in the building must meet be certified in accordance with this practice.
612.1	The aggregate value of building products from registered ISO 14001 or equivalent production facilities is =1% of the estimated total building materials cost. 1 point awarded per %; 10 points max.	1	Points are awarded at 1 point per one percent of building material costs. Material cost breakdown to be verified and points adjusted to reflect actual percentage of all products from 14001 facilities.

2020 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONAL OF USE TO AWARD POINTS
610.1.2.1	A product with improved environmental impact measures compared to another product(s) intended for the same use is selected. 2 points for product with 4 impact measures; 3 points for product with 5 impact measures. 10 points max.	3	Points are available when this product is selected over another insulation option based on LCA analysis. The material to which this product is compared must be suitable and reasonable for the building and local market.
611.1.2	At least 10 different products are installed with product-specific Type III EPDs. All EPDs are certified as complying with the goal and scope for cradle-to-gate requirements in accordance with ISO Standards 14025 and 21930. 5 points available.	5	A minimum of 10 products with certified EPDs were selected and installed.



GRESB Scoring Potential

GRESB is a framework widely used by commercial and multifamily organizations that measures the ESG (Environmental, Social, and Governance) performance of a company's real estate portfolio. Certification to the following 2020 NGBS practices indicates that this product potentially contributes to one or more GRESB Indicator(s). For more information, visit www.ngbs.com/ESG and www.GRESB.com.

NGBS Green Certificate #372

Product: CertainTeed Premium Blowing Wool Insulation - InsulSafe® SP, OPTIMA®, TrueComfort®, InsulSafe® XC

Manufacturer: CertainTeed - Saint-Gobain Corporation

Practice #	Practice Description	GRESB Indicator
604.1	Building materials with recycled content are used for two minor and/or two major components of the building. 1-6 points available.	DMA1 Materials selection requirements
901.11	At least 85% of wall, ceiling, and floor insulation materials are in accordance with the emission levels of CDPH/EHLB Standard Method v1.1 and third-party certified by an ISO 17065 program. 4 points available.	DMA1 Materials selection requirements
610.1.2.1	A product with improved environmental impact measures compared to another product(s) intended for the same use is selected. 2 points for product with 4 impact measures; 3 points for product with 5 impact measures. 10 points max.	DMA1 Materials selection requirements, DMA2.1 Life cycle assessments, DRE1 ESG strategy during development
611.1.2	At least 10 different products are installed with product-specific Type III EPDs. All EPDs are certified as complying with the goal and scope for cradle-to-gate requirements in accordance with ISO Standards 14025 and 21930. 5 points available.	DMA1 Materials selection requirements